

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13557-10-10-11-13-14-16	Böhler K110	202,00	0	940	236,48
13590-10-01-3-4-5-8	Böhler K110	222,00	0	2 120	644,17
13934-80-01	Böhler K110	222,00	0	4 355	1 323,29
c1-1-9-13	Böhler K110	222,00	0	60	18,23
13042-20-01-3-4-5-7	Böhler K110	232,00	0	115	38,16
z1-1-4-6-10	Böhler K110	232,00	0	83	27,54
13042-30-01-7-9-10-12	Böhler K110	252,50	0	55	21,62
13526-20-01-5-7	Böhler K110	252,50	0	2 735	1 075,08
z2-1-5-12-14	Böhler K110	252,50	0	90	35,38
13217-10-01-2-3	Böhler K110	272,50	0	995	455,53
13217-10-01-2-4	Böhler K110	272,50	0	53	24,26
z3-1	Böhler K110	272,50		165	75,54
13042-40-01-4	Böhler K110	282,00	0	159	77,96
13845-120-01	Böhler K110	282,00	0	1 000	490,30
z4-1	Böhler K110	282,50		47	23,13
z5-1-6-11-14-16-18-20	Böhler K110	302,50	0	540	304,65
13148-10-01-3-5	Böhler K110	323,00	0	207	133,15
13595-20-01-4-5	Böhler K110	323,00	0	1 065	685,04
z7-1-4-12-16-17	Böhler K110	323,00	0	42	27,02
z7-1-4-12-16-18	Böhler K110	323,00	0	23	14,79
z7-1-5	Böhler K110	323,00		20	12,87
z8-1-2-4-6-9-11-12	Böhler K110	343,00	0	370	268,38
z8-1-2-4-6-9-11-13	Böhler K110	343,00	0	30	21,76
13544-10-01	Böhler K110	373,00	0	1 360	1 166,58
z10-1	Böhler K110	373,00		26	22,30
z10-1-2	Böhler K110	373,00		103	88,35
z10-1-4	Böhler K110	373,00		31	26,59
z10-1-5	Böhler K110	373,00		29	24,88
13553-30-01-2	Böhler K110	403,00	0	623	623,82
z13-1-10	Böhler K110	403,00		47	47,06
z13-1-2	Böhler K110	403,00		48	48,06
z13-1-3	Böhler K110	403,00		29	29,04
z13-1-4-6-7-8	Böhler K110	403,00	0	44	44,06
z13-1-6	Böhler K110	403,00		56	56,07
z13-1-7	Böhler K110	403,00		26	26,03
z13-1-8	Böhler K110	403,00		47	47,06
010994	Böhler K110/	45,00	97	125	4,28
010995	Böhler K110/	45,00	97	125	4,28
010996	Böhler K110/	45,00	97	159	5,45
011001	Böhler K110/	45,00	124	136	5,96
011009	Böhler K110/	45,00	63	310	6,90
011054	Böhler K110/	50,00	50	350	6,87
013103	Böhler K110/	53,00	60	230	5,74

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
013277	Böhler K110/	45,00	81	202	5,78
013376	Böhler K110/	39,00	40	342	4,19
014132	Böhler K110/	52,00	60	194	4,75
015219-2	Böhler K110/	60,00	50	530	12,48
016730	Böhler K110/	45,00	60	256	5,43
018213	Böhler K110/	15,00	52	255	1,56
019103	Böhler K110/	35,00	101	166	4,61
019639-1	Böhler K110/	35,00	58	345	5,50
019820	Böhler K110/	0,00	0	0	0,00
35135-1-2	Böhler K110	35,00	91	150	3,75
019629	Böhler K110	43,00	80	792	21,39
019677	Böhler K110	43,00	51	628	10,81
015053	1.2379 / Böh	104,00	45	531	19,51
022441-1	1.2379 / Böh	35,00	315	350	30,29
022441-2	1.2379 / Böh	34,00	125	148	4,94
060410-1	1.2379 / Böh	100,00	68	245	13,08
060410-1-2	1.2379 / Böh	100,00	75	100	5,89
10017	1.2379 / Böh	100,00	61	171	8,19
10017-2	1.2379 / Böh	100,00	51	197	7,89
10074	1.2379 / Böh	100,00	74	171	9,93
10276-10-01-3-78-79	1.2379 / Böh	100,00	26	229	4,67
10276-10-01-3-83	1.2379 / Böh	100,00	64	125	6,28
10276-10-01-88	1.2379 / Böh	100,00	70	120	6,59
10640-10-01-10-15	1.2379 / Böh	100,00	34	93	2,48
10640-10-01-3	1.2379 / Böh	100,00	35	305	8,38
10640-10-01-6-8	1.2379 / Böh	100,00	46	180	6,50
10640-10-01-9	1.2379 / Böh	100,00	20	1 015	15,94
10817-10-01-5	1.2379 / Böh	100,00	74	117	6,80
10817-10-01--7-10	1.2379 / Böh	100,00	58	112	5,10
10817-10-01--7-11	1.2379 / Böh	100,00	24	194	3,66
10817-10-01--7-8	1.2379 / Böh	100,00	30	403	9,49
10979-50-01-10-12	1.2379 / Böh	100,00	75	93	5,48
10979-50-01-11	1.2379 / Böh	100,50	58	313	14,32
10979-50-01-16	1.2379 / Böh	100,00	59	258	11,95
13041-10-01-4-7	1.2379 / Böh	55,00	100	148	6,39
13041-10-01-5-7-8	1.2379 / Böh	100,00	59	90	4,17
14067-10-01-3-5	1.2379 / Böh	100,00	512	600	241,15
14067-10-01-4-6	1.2379 / Böh	100,00	120	245	23,08
12490-10-a1	Böhler K110/	15,50	105	128	1,64
12687-10-01-6-9-11-13-16	Böhler K110/	15,50	45	254	1,39
12687-10-02-4-5-6-8	Böhler K110/	15,50	40	1 050	5,11
12687-10-02-4-5-6-9	Böhler K110/	15,50	40	1 050	5,11
13515-20-01-3-5-6	Böhler K110/	15,50	1 060	2 770	357,26
13515-20-02	Böhler K110/	15,50	935	1 060	120,59

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13515-20-02-4	Böhler K110/	15,50	1 060	1 835	236,67
13515-20-02-5	Böhler K110/	15,50	260	303	9,59
13585-10-01-4-6	Böhler K110/	15,50	840	2 475	252,96
13703-20-01-3-5-6-8-9-12-1	Böhler K110/	20,50	400	640	41,20
13703-20-02-6-7	Böhler K110/	20,50	187	583	17,54
13703-20-02-7-11-13-15	Böhler K110/	20,50	355	680	38,85
13703-20-02-7-12-13-16	Böhler K110/	20,50	69	495	5,50
13703-20-a1	Böhler K110/	20,50	239	303	11,65
13703-20-a3	Böhler K110/	20,50	370	517	30,78
13566-20-01-4-5-7	1.2379 / Böh	20,50	50	1 037	8,34
13566-20-01-7-10-12-13	1.2379 / Böh	20,50	405	570	37,15
13566-20-01-7-10-14-17	1.2379 / Böh	20,50	223	303	10,87
13566-20-01-7-10-14-18-19	1.2379 / Böh	20,50	160	745	19,18
13566-20-01-7-8	1.2379 / Böh	20,50	161	302	7,82
13566-20-02-5-6	1.2379 / Böh	20,50	160	300	7,72
13566-20-02-6-7	1.2379 / Böh	20,50	160	300	7,72
13566-20-02-7-8	1.2379 / Böh	20,50	160	300	7,72
13566-20-02-8-10-12	1.2379 / Böh	20,50	385	695	43,06
14246-10-01-3	1.2379 / Böh	20,50	955	2 702	415,25
10235-10-02-43	Böhler K110/	25,50	66	176	2,33
11300-20-01-21-22-24-26-27	Böhler K110/	25,50	53	156	1,66
11300-20-a4	Böhler K110/	25,50	131	205	5,38
12825-10-01-4-5-6-7-8-17	Böhler K110/	25,50	52	425	4,42
12825-10-a2-4-6	Böhler K110/	25,50	54	304	3,29
13033-10-a1-2	Böhler K110/	25,50	81	184	2,98
13033-10-a3	Böhler K110/	25,50	59	725	8,56
13033-10-a4	Böhler K110/	25,50	55	202	2,22
13033-10-a5	Böhler K110/	25,50	55	203	2,24
13585-20-a3-2-4-6-10-12	Böhler K110/	25,50	65	355	4,62
13585-20-a3-2-5-7-10	Böhler K110/	25,50	100	111	2,22
13585-20-a3-2-5-7-11	Böhler K110/	25,50	110	120	2,64
13585-20-a3-2-5-7-12-14-16	Böhler K110/	25,50	45	125	1,13
13585-20-a5-2	Böhler K110/	25,50	86	355	6,11
13585-20-a5-3	Böhler K110/	25,50	41	605	4,97
13703-30-a1-3	Böhler K110/	25,50	140	205	5,75
13703-30-a3-2-4	Böhler K110/	25,50	493	1 063	104,90
13703-30-a5	Böhler K110/	25,50	108	121	2,62
14317-10-01	Böhler K110/	25,50	1 000	3 090	618,54
13086-10-01-2-4	1.2379 / Böh	25,50	152	200	6,09
13086-10-01-2-6-9-11-12	1.2379 / Böh	25,50	98	378	7,42
13086-10-01-5-6-9	1.2379 / Böh	25,50	128	283	7,25
10187-10-02-13-54	Böhler K110/	32,50	60	135	2,07
10235-20-02	Böhler K110/	32,50	44	149	1,67
10315-30-01-93	Böhler K110/	32,50	16	485	1,98

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10748-10-01-5	Böhler K110/	32,50	87	132	2,93
10995-10-01-12-15-17	Böhler K110/	32,50	20	701	3,58
11156-10-02-16	Böhler K110/	32,50	72	191	3,51
11573-10-01-5-6-7-9-11-13	Böhler K110/	32,50	43	416	4,56
11917-20-02-6-7-11-12-14	Böhler K110/	32,50	53	525	7,10
11917-20-02-6-7-11-12-15	Böhler K110/	32,50	66	246	4,14
11917-20-02-6-7-16	Böhler K110/	32,50	61	209	3,25
11917-20-02-7-11	Böhler K110/	32,50	52	217	2,88
11917-20-02-7-13-14	Böhler K110/	32,50	68	166	2,88
11917-20-02-7-13-16	Böhler K110/	32,50	114	120	3,49
11917-20-02-7-13-17-21	Böhler K110/	32,50	56	312	4,46
12317-30-01-7	Böhler K110/	30,00	32	1 035	7,80
12490-20-01-4-6-14	Böhler K110/	32,50	47	578	6,93
12490-20-01-5	Böhler K110/	32,50	90	197	4,52
12687-30-02-8-10-12-13-14	Böhler K110/	32,50	47	405	4,86
12687-30-02-8-10-12-16-17	Böhler K110/	32,50	64	150	2,45
12687-30-a1-4	Böhler K110/	32,50	97	153	3,79
12687-30-a1-5-7-10	Böhler K110/	32,50	108	164	4,52
12687-30-a1-5-7-9	Böhler K110/	32,50	108	96	2,65
13441-10-01-3-5-7-8-10-12	Böhler K110/	32,50	190	207	10,03
13441-10-01-3-5-7-8-16-17	Böhler K110/	32,50	150	187	7,16
13441-10-01-3-5-7-8-16-19	Böhler K110/	32,50	187	212	10,11
13441-10-01-3-5-7-8-16-20	Böhler K110/	32,50	90	270	6,20
13441-10-01-3-5-7-8-16-21	Böhler K110/	32,50	150	188	7,20
13441-10-02-3-6-7-10	Böhler K110/	32,50	46	415	4,87
13441-10-02-4	Böhler K110/	32,50	94	270	6,48
10565-40-01	1.2379 / Böh	32,50	63	264	4,24
10741-10-01-8	1.2379 / Böh	32,50	55	297	4,17
14246-20-01-3	1.2379 / Böh	32,50	1 010	2 465	635,17
13528-10-01-4	1.2379 / Böh	40,50	660	992	208,15
13528-10-01-5-6-8	1.2379 / Böh	40,50	139	1 035	45,74
13528-10-02-4-5-7	1.2379 / Böh	40,50	200	315	20,03
13528-10-02-4-6-8-10	1.2379 / Böh	0,00			
13528-10-02-4-6-8-11	1.2379 / Böh	0,00			
13528-10-02-4-6-8-12	1.2379 / Böh	0,00			
13528-10-02-4-6-8-13	1.2379 / Böh	40,50	800	2 090	531,57
13528-10-02-4-6-8-9	1.2379 / Böh	0,00			
10147-40-01-77-88	Böhler K110/	45,50	41	325	4,76
10241-40-01-21	Böhler K110/	45,50	112	275	11,00
10995-30-01-15-19	Böhler K110/	45,50	56	267	5,34
10995-30-01-21-23	Böhler K110/	45,50	31	196	2,17
11413-20-01-14-18-19	Böhler K110/	45,50	144	288	14,81
11413-20-01-2-7	Böhler K110/	45,50	31	217	2,40
11413-20-01-2-9	Böhler K110/	45,50	55	248	4,87

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11413-20-01-7-10	Böhler K110/	45,50	81	288	8,33
11573-30-01-12-13-14-16	Böhler K110/	45,50	56	243	4,86
11573-30-01-8-13	Böhler K110/	45,50	48	284	4,87
11573-30-02-3-4-11-13-14	Böhler K110/	45,50	98	310	10,85
11573-30-02-3-4-11-13-15	Böhler K110/	45,50	50	277	4,95
11573-30-a1	Böhler K110/	45,50	30	514	5,51
11573-30-a2	Böhler K110/	45,50	87	538	16,72
11606-10-01-11-14-17	Böhler K110/	45,40	50	204	3,64
11637-10-01-17-18-20	Böhler K110/	45,50	95	208	7,06
11637-10-01-2-4	Böhler K110/	45,50	33	417	4,92
11637-10-01-6	Böhler K110/	45,50	134	141	6,75
11637-10-01-7	Böhler K110/	45,50	134	140	6,70
11976-30-01-11-12	Böhler K110/	45,50	97	593	20,55
11976-30-01-15-16-23	Böhler K110/	45,50	103	599	22,04
11976-30-01-15-16-25-26-28	Böhler K110/	45,50	85	345	10,47
11976-30-01-15-16-25-27	Böhler K110/	45,50	49	437	7,65
11976-30-01-15-16-26-28	Böhler K110/	45,50	68	380	9,23
11976-30-01-3	Böhler K110/	45,50	98	362	12,67
11976-30-01-6-9-10	Böhler K110/	45,50	60	585	12,54
11976-30-01-6-9-11-12	Böhler K110/	45,50	85	345	10,47
11976-30-01-8	Böhler K110/	45,50	111	161	6,38
13188-10-01-4-6-8-9-11	1.2379 / Böh	45,50	46	840	13,80
13188-10-01-4-6-9-11-12	1.2379 / Böh	45,50	98	122	4,27
13188-10-01-4-6-9-11-13	1.2379 / Böh	45,50	42	790	11,85
13188-10-01-4-6-9-11-14	1.2379 / Böh	45,50	120	545	23,36
13188-10-01-4-7-9	1.2379 / Böh	45,50	140	519	25,95
13188-10-01-4-9	1.2379 / Böh	45,50	300	607	65,04
13793-10-01-3-5-7	1.2379 / Böh	45,50	595	677	143,88
13793-10-01-4-5-7-10	1.2379 / Böh	45,50	100	254	9,07
13793-10-01-4-5-7-11	1.2379 / Böh	45,50	101	254	9,16
13793-10-01-4-5-7-9	1.2379 / Böh	45,50	500	1 005	179,48
13793-10-01-4-5-7-9-12-13	1.2379 / Böh	45,50	890	1 005	319,48
13793-10-01-4-5-7-9-12-14	1.2379 / Böh	45,50	125	490	21,88
13793-10-01-4-5-7-9-12-15	1.2379 / Böh	45,50	90	420	13,50
10741-20-01-11	1.2379 / Böh	50,50	106	397	16,68
10741-20-01-11-16	1.2379 / Böh	50,50	89	169	5,96
10741-20-01-12	1.2379 / Böh	50,50	43	305	5,20
10741-20-01-14	1.2379 / Böh	50,50	85	440	14,83
10741-20-01-15	1.2379 / Böh	50,50	207	343	28,15
13528-30-01-3-5	1.2379 / Böh	50,50	992	2 005	788,47
13528-30-01-3-6	1.2379 / Böh	50,50	70	400	11,10
13528-30-01-4-7	1.2379 / Böh	50,50	277	290	31,85
13528-30-01-5	1.2379 / Böh	50,50	302	386	46,21
10507-30-01-13	1.2379 / Böh	60,50	70	365	12,13

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10507-30-01-18-19	1.2379 / Böh	60,50	31	492	7,24
015488	Böhler K110/	60,50	27	538	6,90
015498	Böhler K110/	104,00	67	116	6,35
015785	Böhler K110/	60,50	53	176	4,43
015895	Böhler K110/	50,50	40	295	4,68
015900	Böhler K110/	105,00	25	535	11,02
016006	Böhler K110/	80,50	32	195	3,94
016141	Böhler K110/	104,00	25	161	3,29
016381	Böhler K110/	60,50	30	376	5,36
016516	Böhler K110/	60,50	27	329	4,22
016551	Böhler K110/	60,50	40	320	6,08
016732	Böhler K110/	60,50	28	245	3,26
016765	Böhler K110/	80,50	34	205	4,41
017047	Böhler K110/	60,50	40	353	6,71
017070	Böhler K110/	50,50	31	450	5,53
017082	Böhler K110/	50,50	45	226	4,03
017171	Böhler K110/	60,50	41	606	11,80
017359	Böhler K110/	60,50	35	440	7,31
018255	Böhler K110/	60,50	21	514	5,13
018696	Böhler K110/	50,50	22	499	4,35
018869	Böhler K110/	34,00	121	155	5,01
019020	Böhler K110/	45,50	105	221	8,29
019067	Böhler K110/	45,50	55	278	5,46
019276	Böhler K110/	71,50	26	282	4,12
019282	Böhler K110/	45,50	60	245	5,25
019433	Böhler K110/	60,00	100	220	10,36
019451	Böhler K110/	50,50	30	335	3,98
019521	Böhler K110/	80,50	45	210	5,97
019559	Böhler K110/	60,50	37	502	8,82
019655	Böhler K110/	60,50	23	361	3,94
019937	Böhler K110/	80,50	40	445	11,25
020074	Böhler K110/	80,50	38	180	4,32
020081	Böhler K110/	45,50	105	111	4,16
020148	Böhler K110/	50,50	38	398	6,00
020215	Böhler K110/	60,50	41	335	6,52
020216	Böhler K110/	60,50	29	440	6,06
020217	Böhler K110/	60,50	29	440	6,06
020929	Böhler K110/	32,50	35	290	2,59
021004	Böhler K110/	45,50	136	162	7,87
021050	Böhler K110/	60,50	81	112	4,31
021147	Böhler K110/	80,50	36	285	6,48
021214	Böhler K110/	80,50	51	351	11,31
021345	Böhler K110/	50,50	43	337	5,75
021410	Böhler K110/	45,50	90	165	5,30

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
021496	Böhler K110/	60,50	28	381	5,07
021586	Böhler K110/	45,50	40	260	3,72
021675	Böhler K110/	60,50	60	234	6,67
021707	Böhler K110/	60,50	76	250	9,02
021715	Böhler K110/	45,50	28	422	4,22
021727	Böhler K110/	71,50	49	141	3,88
021728	Böhler K110/	71,50	49	140	3,85
021768-1	Böhler K110/	80,50	41	180	4,66
021768-2	Böhler K110/	80,50	174	320	35,19
021768-3	Böhler K110/	80,50	24	360	5,46
021770	Böhler K110/	45,50	51	450	8,20
021781	Böhler K110/	80,50	51	232	7,48
021835	Böhler K110/	80,50	55	345	11,99
021873	Böhler K110/	50,50	27	259	2,77
021883	Böhler K110/	32,50	53	145	1,96
021898	Böhler K110/	71,50	33	255	4,72
022175	Böhler K110/	60,50	48	250	5,70
022219	Böhler K110/	80,50	73	75	3,46
022236	Böhler K110/	23,00	106	155	2,97
022240	Böhler K110/	60,50	25	250	2,97
022245	Böhler K110/	40,50	47	235	3,51
022246	Böhler K110/	45,50	33	680	8,02
022265	Böhler K110/	50,50	61	90	2,18
022431	Böhler K110/	45,50	30	335	3,59
022433	Böhler K110/	50,50	65	248	6,39
022440	Böhler K110/	80,50	41	164	4,25
022516	Böhler K110/	80,50	20	505	6,38
022520	Böhler K110/	40,50	74	195	4,59
022669	Böhler K110/	80,50	32	142	2,87
022694	Böhler K110/	71,50	49	112	3,08
022713	Böhler K110/	60,50	44	205	4,28
022721	Böhler K110/	24,00	110	268	5,55
022801	Böhler K110/	60,50	31	163	2,40
022949	Böhler K110/	45,50	59	443	9,34
022950	Böhler K110/	60,50	40	161	3,06
022984	Böhler K110/	32,50	150	166	6,35
022986	Böhler K110/	71,50	44	131	3,24
022995	Böhler K110/	32,50	102	125	3,25
023011-1	Böhler K110/	32,50	56	265	3,79
023011-2	Böhler K110/	32,50	84	230	4,93
023132	Böhler K110/	40,50	56	327	5,82
023228	Böhler K110/	32,50	109	125	3,48
023287	Böhler K110/	25,50	127	140	3,56
023493	Böhler K110/	80,50	48	210	6,37

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
023538	Böhler K110/	40,50	55	216	3,78
023542	Böhler K110/	40,50	56	197	3,51
023669	Böhler K110/	50,50	80	257	8,15
023670	Böhler K110/	40,50	60	251	4,79
023696	Böhler K110/	70,00	100	105	5,77
023781	Böhler K110/	32,50	69	170	2,99
023866	Böhler K110/	25,50	113	131	2,96
023959	Böhler K110/	80,00	100	109	6,85
13343-10-02-5-7-8-10	Böhler K110/	10,50	38	1 014	3,18
13343-10-02-7-8	Böhler K110/	10,50	34	1 010	2,83
13515-10-02	Böhler K110/	10,50	1 015	2 015	168,58
13515-10-03	Böhler K110/	10,50	1 010	2 015	167,75
13515-10-04	Böhler K110/	10,50	1 008	2 015	167,42
13703-10-01	Böhler K110/	10,50	1 018	2 010	168,66
13703-10-02-5-10-12	Böhler K110/	10,50	60	1 785	8,83
13703-10-02-5-11	Böhler K110/	10,50	520	765	32,79
13703-10-02-5-7	Böhler K110/	10,50	120	676	6,69
13703-10-02-6	Böhler K110/	10,50	223	610	11,21
13703-10-03-5	Böhler K110/	10,50	861	2 010	142,65
13703-10-04-5	Böhler K110/	10,50	1 017	1 741	145,94
10695-30-01-14-15	1.2379 / Böh	71,50	74	271	11,26
10695-30-01-17	1.2379 / Böh	71,50	22	380	4,69
10695-30-01-21	1.2379 / Böh	71,50	67	150	5,64
13910-20-01-3-5-7	1.2379 / Böh	71,50	464	685	178,40
10741-30-01-8-9-10	1.2379 / Böh	80,50	264	277	46,21
10741-30-a1-1-2	1.2379 / Böh	80,50	100	126	7,96
14246-40-01-4	1.2379 / Böh	80,50	70	1 120	49,54
14246-40-01-5	1.2379 / Böh	80,50	930	2 425	1 425,15
10995-20-02-5-8-10-11	Böhler K110/	40,50	80	87	2,21
10995-20-02-5-8-10-12-14	Böhler K110/	40,50	66	153	3,21
10995-20-a1	Böhler K110/	40,50	86	243	6,64
10995-20-a2	Böhler K110/	40,50	94	538	16,08
11219-10-01-6-8	Böhler K110/	40,50	46	185	2,71
11413-10-01-3-7	Böhler K110/	40,50	46	187	2,74
11573-20-01-6-7-10-12-13	Böhler K110/	40,50	55	268	4,69
11573-20-01-6-7-10-13-14	Böhler K110/	40,50	167	185	9,82
11573-20-01-6-7-10-13-15	Böhler K110/	40,50	101	142	4,56
11976-20-01-3-7	Böhler K110/	40,50	16	500	2,54
11976-20-02-6-7	Böhler K110/	40,00	42	618	8,15
11976-20-03-6-9-11-12-15	Böhler K110/	40,50	32	370	3,76
11976-20-03-8-9	Böhler K110/	40,50	62	239	4,71
12317-40-01-10	Böhler K110/	40,50	49	452	7,04
12317-40-01-12	Böhler K110/	40,50	50	450	7,15
12490-30-01-5-6-7	Böhler K110/	40,50	54	341	5,85

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12687-40-02-6-7-8-12-13-15	Böhler K110/	40,50	134	147	6,26
12687-40-02-6-7-8-12-14	Böhler K110/	40,50	141	150	6,72
12687-40-02-6-7-9-11	Böhler K110/	40,50	90	100	2,86
12885-10-01-2-4-6-7	Böhler K110/	40,50	20	1 031	6,56
12885-10-02-3-5	Böhler K110/	40,50	32	1 115	11,34
12885-10-02-3-7	Böhler K110/	40,50	32	356	3,62
12885-10-02-4-11	Böhler K110/	40,50	92	265	7,75
13515-30-01-3-4-6-12-16	Böhler K110/	40,50	70	458	10,19
13515-30-01-3-4-6-12-17	Böhler K110/	40,50	70	435	9,68
13515-30-01-3-4-6-12-18	Böhler K110/	40,50	70	435	9,68
13515-30-01-3-4-6-14	Böhler K110/	40,50	167	295	15,66
13515-30-01-3-4-6-9	Böhler K110/	40,50	265	399	33,62
13515-30-01-3-5-7-9-10	Böhler K110/	40,50	64	385	7,83
13515-30-01-3-5-7-9-11	Böhler K110/	40,50	235	370	27,64
13515-30-02-4-8-10-13-15-1	Böhler K110/	40,50	113	265	9,52
13515-30-a1	Böhler K110/	40,50	305	405	39,27
13515-30-a11-2	Böhler K110/	40,50	198	361	22,73
13515-30-a11-3	Böhler K110/	40,50	27	304	2,61
13515-30-a13	Böhler K110/	40,50	300	607	57,89
13515-30-a15	Böhler K110/	40,50	55	200	3,50
13515-30-a17-2-4-6	Böhler K110/	40,50	287	990	90,33
13515-30-a3-1	Böhler K110/	40,50	77	420	10,28
13515-30-a5	Böhler K110/	40,50	77	420	10,28
13515-30-a9	Böhler K110/	40,50	155	495	24,39
40281	Böhler K110/	40,50	47	281	4,20
X1002	Böhler K110/	40,50	62	153	3,02
023087-4-5-7	Böhler K110/	50,50	97	205	7,88
10147-50-01-11-67	Böhler K110/	50,50	33	365	4,78
10748-30-01	Böhler K110/	50,50	32	208	2,64
10748-30-01-12-13-14-15	Böhler K110/	50,50	27	275	2,94
11127-20-01-13-16	Böhler K110/	50,50	41	244	3,97
11127-20-01-13-17	Böhler K110/	50,50	117	161	7,47
11593-10-01-4-5-6-7-11-12	Böhler K110/	50,50	237	298	28,00
11593-10-01-4-5-6-7-11-13	Böhler K110/	50,50	36	322	4,60
11593-10-a1-1	Böhler K110/	50,50	61	217	5,25
11593-10-a2	Böhler K110/	50,50	140	155	8,60
11593-10-a4	Böhler K110/	50,50	66	217	5,68
11957-40-01-4-5-6-8-10	Böhler K110/	50,50	112	212	9,41
11976-40-01-3-10-12-14	Böhler K110/	50,50	117	156	7,24
11976-40-01-3-15-19	Böhler K110/	50,50	158	396	24,80
11976-40-01-3-8	Böhler K110/	50,50	121	281	13,48
11976-40-a1-2	Böhler K110/	50,50	36	400	5,71
11976-40-a2	Böhler K110/	50,50	148	305	17,90
13515-40-01-3-6	Böhler K110/	50,50	49	355	6,90

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13515-40-01-3-7	Böhler K110/	50,50	285	480	54,23
13515-40-01-3-8	Böhler K110/	50,50	405	580	93,12
13515-40-01-3-9-11-15	Böhler K110/	50,50	170	432	29,11
13515-40-a3	Böhler K110/	50,50	90	530	18,91
11127-30-01-20-21-22-24	Böhler K110/	60,50	44	151	3,16
11593-20-01-3-4-11-13	Böhler K110/	60,50	66	360	11,28
11593-20-01-3-4-11-14-16	Böhler K110/	60,50	92	733	32,03
11593-20-01-3-4-31-33	Böhler K110/	60,50	130	130	8,03
11593-20-01-3-4-6-7	Böhler K110/	60,50	100	220	10,45
12444-10-01-4-5-6-7	Böhler K110/	60,50	151	301	21,59
12444-10-01-4-5-7-8-10	Böhler K110/	60,50	12	632	3,60
12444-10-01-6	Böhler K110/	60,50	147	325	22,69
12444-10-01-7	Böhler K110/	60,50	147	304	21,22
12444-10-02-12-15	Böhler K110/	60,50	292	560	77,66
12444-10-02-12-16	Böhler K110/	60,50	122	183	10,60
12444-10-02-12-17	Böhler K110/	60,50	121	253	14,54
12444-10-02-12-18	Böhler K110/	60,50	203	254	24,49
12444-10-02-4-6	Böhler K110/	60,50	57	455	12,32
12444-10-a1-1-3	Böhler K110/	60,50	68	1 034	33,39
13910-10-02-4-6-8	Böhler K110/	60,50	205	1 050	102,23
13910-10-02-5-10-11-13	Böhler K110/	60,50	177	1 050	88,27
13910-10-02-5-11	Böhler K110/	60,50	213	580	58,67
13910-10-02-5-8-9	Böhler K110/	60,50	80	620	23,56
14169-10-01-3-5	Böhler K110/	60,50	200	448	42,55
14169-10-01-3-6	Böhler K110/	60,50	90	1 310	55,99
14169-10-01-4-5-6	Böhler K110/	60,50	832	2 039	805,69
14169-10-01-4-5-7	Böhler K110/	60,50	325	882	136,14
14169-10-01-4-5-8	Böhler K110/	60,50	96	390	17,78
10096-30-01-2	Böhler K110/	71,50	45	140	3,54
10096-30-01-3	Böhler K110/	71,50	65	610	22,26
10995-40-01-15-19	Böhler K110/	71,50	47	165	4,35
10995-40-01-15-20	Böhler K110/	71,50	47	168	4,43
10995-40-01-16-17-18-20-21	Böhler K110/	71,50	46	501	12,94
10995-40-01-16-18-22-23	Böhler K110/	24,00	71	646	8,64
12186-10-01-5-6-7-9	Böhler K110/	42,00	71	351	8,22
12186-10-01-5-6-9-10-13-14	Böhler K110/	71,50	61	250	8,56
12186-10-01-5-6-9-14-17	Böhler K110/	71,50	93	168	8,77
12186-10-a4-1	Böhler K110/	71,50	127	345	24,59
12186-10-a5	Böhler K110/	71,50	78	150	6,57
12687-50-01-2-3-4-6-10	Böhler K110/	71,50	190	735	78,38
12687-50-01-2-3-4-6-9	Böhler K110/	71,50	150	310	26,10
12687-50-01-2-4-6	Böhler K110/	71,50	72	109	4,41
12687-50-01-2-5-7	Böhler K110/	71,50	82	245	11,28
14317-20-01	Böhler K110/	71,50	1 020	3 328	1 905,28

K110 valmispalat

12.09.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
017175	Böhler K110/	80,50	34	292	6,27
022976	Böhler K110/	80,50	50	630	19,91
10206-10-01-11-29	Böhler K110/	80,50	33	112	2,34
10206-10-01-95	Böhler K110/	80,50	64	90	3,64
10748-40-01-12	Böhler K110/	80,50	49	652	20,19
12197-10-01-11-12-14-15-17	Böhler K110/	80,50	20	502	6,35
12197-10-01-11-13	Böhler K110/	80,50	30	499	9,46
12197-10-01-3	Böhler K110/	80,50	37	306	7,16
12197-10-01-4	Böhler K110/	80,50	38	304	7,30
12687-60-01-3-6	Böhler K110/	80,50	56	500	17,69
12687-60-01-4-5-6-8-11-14	Böhler K110/	80,50	57	450	16,21
12687-60-a2-1-2-6-7	Böhler K110/	80,50	27	255	4,35
12687-60-a2-1-2-6-8	Böhler K110/	80,50	66	103	4,30
13515-50-01-3-5-7-10	Böhler K110/	80,50	35	540	11,94
13515-50-01-4-5-7	Böhler K110/	80,50	216	237	32,35
13515-50-01-4-5-8-10-12	Böhler K110/	80,50	340	450	96,69
13515-50-01-4-5-8-10-13-15	Böhler K110/	80,50	34	350	7,52
13515-50-01-4-5-9-11-14	Böhler K110/	80,50	45	500	14,22